



ROLLER TRACKS(PLACONS) CAP



PJ-140AL 40"TYPE AL PLASTIC CAP

ALUMINIUM FRAME

2.000pcs/box 6g/pc



PJ-140ST 40"TYPE PLASTIC CAP

STEEL FRAME

1.600pcs/box 3.9g/pc



PJ-160ST 60"TYPE PLASTIC CAP

STEEL FRAME

2.000pcs/box 3.5g/pc



PJ-173ST 73"TYPE PLASTIC CAP

STEEL FRAME

1.200pcs/box 5.0g/pc



PJ-173AL 73"TYPE AL PLASTIC CAP

ALUMINIUM FRAME

1.300pcs/box 6g/pc



PJ-G100AL 100"TYPE AL PLASTIC CAP

ALUMINIUM FRAME

1.000pcs/box 13.5g/pc

PJ-P100AL 100"TYPE AL PLASTIC CAP

ALUMINIUM FRAME



1.000pcs/box 10.7g/pc

※Please contact our sales office with reference to the additional options available.





ACCESSORIES

MT-5130A HANDLE FIXING-A, 손잡이 고정금구-A

600pcs/box 22g/pc



MT-5130B HANDLE FIXING-B, 손잡이 고정금구-B

600pcs/box 22g/pc

※근은 별도 판매

WG-0230 WIRE GUIDE






CODE	A	B
WG-0230 190g/pc	230	
WG-0330 240g/pc	330	70
WG-0430 280g/pc	430	





MIDDLE STOPPERS

MS-4018SV 40" MIDDLE STOPPER

300pcs/box 60g/pc



MS-7318SV 73" MIDDLE STOPPER

100pcs/box 126g/pc



BOX STOPPERS

MT-5320 BOX STOPPER-A



80pcs/box 264g/pc

MT-5321 BOX STOPPER-B










20pcs/box 355g/pc

PJ-1401BK PLACON REVERSE BRAKE

1,000pcs/box 12g/pc

GUIDE RAILS

PA-401A	SIZE	TYPE	WEIGHT	LENGTH
		GUIDE RAIL TYPE-A	619g/m	3M(Standard)
		GUIDE RAIL TYPE-B	740g/m	3M(Standard)
PA-412B		GUIDE RAIL TYPE-G	906g/m	3M(Standard)
		GUIDE RAIL TYPE-C	640g/m	3M(Standard)
PA-404D		GUIDE RAIL TYPE-D	824g/m	3M(Standard)
PA-405E		SLIDE GUIDE RAIL ALUMINUM	0.440g/m	4M(Standard)

